

Looped Wall/Ceiling Lamp

“The goal was to create a simple yet elegant light fixture where the design remains just as beautiful whether the lamp is on or off. The light effect, resulting from the combination of the design—with its carefully crafted coil-like periphery—and the materiality of multi-layered blown glass, opal, and transparent elements, creates a very pleasant, harmonious glow. The focus was on creating a mono-material piece that was seamless in form and allowed it to complement any space effortlessly.”

— Dimitri Bähler



Designed by	Dimitri Bähler
About the Designer	Dimitri Bähler is an independent designer, based in Biel, Switzerland. After finishing his studies at ECAL Lausanne and the Design Academy Eindhoven, Bähler founded his eponymous studio in 2014. Working from industrial design to unique pieces through installations, the elements of context, manufacturing processes and functionality are key influences in his work.
Environment	Indoor
Country of Production	China
Preassembled	No
Description	The Looped Wall/Ceiling Lamp offers a fully illuminated design with soft, dimmable light. The three-layered, mouth-blown glass with rounded edges creates a subtle 3D effect that changes depending on the angle, casting a halo of light with shifting rings onto the wall or ceiling. With its mono-material design, the casing becomes the lamp itself, bringing a quiet yet efficient presence. Elegant in repetition, it refines hallways and ceilings with ambient and functional lighting. The user-replaceable LED ensures long-lasting functionality. The IP44 version is built to handle humidity and light splashes, making it a suitable and refined choice for bathroom use.
Material	IP44 Version: The shade is made of mouth-blown glass. The lamp base is made of a stamped sheet metal bracket with LEDs and a terminal- and lens cover in injection-molded ABS. The IP44 ring is made of silicone and mounted on a stamped sheet metal cover. With Inline Dimmer and plug version: The shade is made of mouth-blown glass. The lamp base is made of a stamped sheet metal bracket with LEDs and a terminal- and lens cover in injection-molded ABS. Cord with inline dimmer and plug-in injection-molded ABS.
Cleaning & Care	Clean with a moist cloth. If necessary, use a little nonabrasive soap.
Cord Length	400, 300 cm / 157.48", 118.11"
Light Source Included	Ø 35 cm / 13.78" - IP44, Ø 35 cm / 13.78" - w. Inline Dimmer and Plug: Yes.

Looped Wall/Ceiling Lamp

Dimensions

Ø 35 cm / 13.78" - IP44		
Depth:	6 cm / 2.36"	
Diameter:	35 cm / 13.78"	
Cord Length:	400 cm / 157.48"	



Ø 35 cm / 13.78" - w. Inline Dimmer and Plug		
Depth:	6 cm / 2.36"	
Diameter:	35 cm / 13.78"	
Cord Length:	300 cm / 118.11"	



Ready-to-Ship

White - IP44	
White - w. Inline Dimmer and Plug	



Lamp Rating


	Ø 35 cm / 13.78" - IP44	Ø 35 cm / 13.78" - w. Inline Dimmer and Plug
Voltage	230V	230V
Frequency	60Hz	60Hz
IP Rating	IP44	IP20
Classification	II	II
Socket	Integrated LED	Integrated LED

Light Source Specification

	Ø 35 cm / 13.78" - IP44	Ø 35 cm / 13.78" - w. Inline Dimmer and Plug
Item	Integrated LED	Integrated LED
Watt	28W	28W
Lumen	1600lm	1600lm
Kelvin	2900K	2900K
CRI	>90	>90
Dimmable	Yes	Yes

Looped Wall/Ceiling Lamp

Energy Label



Tests, Labels & Certifications

Electromagnetic Compatibility
Safety & Regulations

Electromagnetic Compatibility (EMC)
ECO Design Directive
Low Voltage Directive 2014/35 EU (LVD)
REACH
Restriction of Hazardous Substances Directive (RoHs)



[Explore Assets](#)

[DOWNLOAD SITE](#)